

Weekly Lab Status Meeting – July 21, 2015

Fiscal Year Summary by Case Type

| | FY2004 | FY2005 | FY2006 | FY2007 | FY2008 | FY2009 | FY2010 | FY2011 | FY2012 | FY2013 | FY2014 | FY2015 |
|------------------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|
| DART | 9 | 11 | 7 | 10 | 3 | 11 | 6 | 6 | 15 | 6 | 10 | 9 |
| TRC | 27 | 27 | 26 | 30 | 12 | 21 | 18 | 19 | 35 | 25 | 21 | 12 |
| First Aid | 59 | 54 | 39 | 58 | 52 | 50 | 46 | 40 | 37 | 29 | 17 | 21 |

Injuries:

| Division | Category | Case Date | Date Entered | Recordable | Rx | Medical | | ESH | |
|---|----------|------------|--------------|------------|----|---------|-----|-----|-----|
| | | | | | | ODD | LDD | ODD | LDD |
| PD | FNAL | 07/15/2015 | 07/15/2015 | N | | 0 | 0 | 0 | 0 |
| Medical Comments: Moving computers from cart to high bay; brushed 5th finger right hand against a circuit board, causing laceration. | | | | | | | | | |
| ESH Comments: Employee was moving a desktop computer tower over to a pallet. When she lowered the computer tower, her right pinky finger contacted the plastic portion of a printed circuit board causing a laceration. First aid only, no restrictions. | | | | | | | | | |

Claims Pending:

| Division | Category | Case Date | Date Entered | Recordable | Rx | Medical | | ESH | |
|---|----------|------------|--------------|------------|----|---------|-----|-----|-----|
| | | | | | | ODD | LDD | ODD | LDD |
| SCD | FNAL | 07/16/2015 | 07/16/2015 | CP | | 0 | 0 | 0 | 0 |
| Medical Comments: Was sitting in his office working on computer when he felt a sting in his right posterior neck. He slapped it, looked like a wasp or a bee. Believes he probably brought it in with him after eating lunch in his car. | | | | | | | | | |
| ESH Comments: | | | | | | | | | |


Vehicle Accidents:

None

ORPS/Incidents/Notices of Violations:

None

DART/TRC/First Aid Counts for Employees and Subcontractors



Employee TRC & DART Details for Current Fiscal Year

| Organization | TRC Cases | TRC Rate | TRC 3-Year Average | TRC KPI | DART Cases | DART Rate | DART 3-Year Average | DART KPI |
|-----------------|-----------|-------------|--------------------|----------|------------|-------------|---------------------|----------|
| AD | 2 | 0.59 | 1.93 | ↓ | 2 | 0.59 | 0.65 | ↓ |
| BS | 0 | 0.00 | 1.96 | ↓ | 0 | 0.00 | 0.72 | ↓ |
| CCD | 1 | 1.21 | 0.42 | ↑ | 1 | 1.21 | 0.00 | ↑ |
| CD | 0 | 0.00 | 0.00 | → | 0 | 0.00 | 0.00 | → |
| DI | 0 | 0.00 | 2.19 | ↓ | 0 | 0.00 | 0.00 | → |
| ES | 0 | 0.00 | 0.89 | ↓ | 0 | 0.00 | 0.89 | ↓ |
| FCPA | 0 | 0.00 | 0.00 | → | 0 | 0.00 | 0.00 | → |
| FE | 4 | 3.10 | 4.15 | ↓ | 3 | 2.33 | 2.39 | ↓ |
| FI | 0 | 0.00 | 1.88 | ↓ | 0 | 0.00 | 0.00 | → |
| ND | 0 | 0.00 | 0.00 | → | 0 | 0.00 | 0.00 | → |
| PPD | 3 | 1.25 | 0.30 | ↑ | 1 | 0.42 | 0.30 | ↑ |
| SCD | 0 | 0.00 | 1.33 | ↓ | 0 | 0.00 | 1.02 | ↓ |
| TD | 0 | 0.00 | 1.82 | ↓ | 0 | 0.00 | 0.66 | ↓ |
| WR | 1 | 2.01 | 1.88 | ↑ | 1 | 2.01 | 0.00 | ↑ |
| Fermilab | 11 | 0.80 | 1.70 | ↓ | 8 | 0.58 | 0.63 | ↓ |

*Please note that FermiDash Training page may not be accurate as it is actively being worked on.

Required ESH Training and ITNA Status for Employees

| Org | Completed Courses | Required Courses | Percent Completed | Employees | Current ITNAs | ITNAs < 1 Year Old | Missing ITNAs | ITNAs > 3 Years Old |
|----------|-------------------|------------------|-------------------|-----------|---------------|--------------------|---------------|---------------------|
| AD | 10268 | 10346 | 99.2% | 478 | 461 | 96.4% | 0 | 0 |
| CCD | 1743 | 1749 | 99.7% | 120 | 112 | 93.3% | 1 | 0 |
| CD | 465 | 471 | 98.7% | 41 | 40 | 97.6% | 0 | 0 |
| DI | 878 | 883 | 99.4% | 72 | 63 | 87.5% | 3 | 0 |
| ES | 2021 | 2049 | 98.6% | 83 | 82 | 98.8% | 0 | 0 |
| FE | 4129 | 4169 | 99.0% | 188 | 184 | 97.9% | 0 | 0 |
| FI | 906 | 906 | 100.0% | 65 | 64 | 98.5% | 0 | 0 |
| ND | 1145 | 1156 | 99.0% | 80 | 78 | 97.5% | 1 | 0 |
| PPD | 6267 | 6354 | 98.6% | 382 | 368 | 96.3% | 2 | 1 |
| SCD | 1985 | 1993 | 99.6% | 168 | 155 | 92.3% | 0 | 0 |
| TD | 5045 | 5136 | 98.2% | 258 | 249 | 96.5% | 0 | 0 |
| WR | 1817 | 1824 | 99.6% | 175 | 145 | 82.9% | 28 | 0 |
| Fermilab | 36669 | 37036 | 99.0% | 2110 | 2001 | 94.8% | 35 | 1 |

> 95% 90-95% < 90%

Missing ITNAs and ITNAs > 3 Years Old = **Red**
Missing ITNAs for New Employees = **Yellow**